

SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER'S NAME: F.H. & Sons Manufacturing Ltd.
ADDRESS: 33 Baywood Road, Toronto, Ontario M9V 3Y8
EMERGENCY TELEPHONE NO.: (416) 744-2723, **CANUTEC** (613) 996-6666
CHEMICAL NAME & SYNONYMS: Plastisol
CHEMICAL FAMILY: PVC Compounds
TRADE NAME & SYNONYMS: TX-1800 Series (All Colors)

SECTION II - HAZARDOUS INGREDIENTS

None

SECTION III - PHYSICAL DATA

BOILING POINT: 231°C **SPECIFIC GRAVITY:** 1.0 - 1.4
VAPOR DENSITY (Air = 1): Heavier **% VOLATILE BY VOLUME:** <.06%
SOLUBILITY IN WATER (g/l): Negligible **VISCOSITY:** 150,000 cps
APPEARANCE: Various colors viscous paste **ODOUR:** Mild, non offensive

SECTION IV - REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: n/a
INCOMPATIBILITY (Materials to Avoid): n/a
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, hydrogen chloride and carbon monoxide when forced to burn by continuous application of heat.
HAZARDOUS POLYMERIZATION: Will not occur.

SECTION V - EFFECTS OF OVER EXPOSURE

EYE CONTACT: May cause irritation
SKIN CONTACT: Irritant. Mist or fume from hot processing may cause chemical burns.
INHALATION: Mist or fume from hot processing may cause irritation of respiratory tracts.

FIRST AID PROCEDURE

SKIN: Wash with water and soap.
EYES: Flush with water and seek medical attention.
INGESTION: May be harmful, do not induce vomiting. Aspiration may lead to pneumonitis. Consult Physician.
INHALATION: Affected person to be removed from source of exposure and get medical attention.

SECTION VI - FIRE & EXPLOSION HAZARD DATA

FLASH POINT: None
EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus should be used.
UNUSUAL FIRE & EXPLOSION HAZARDS: Closed container may explode when exposed to extreme heat.